

TECHNICAL CHARACTERISTICS

SBOBXLGETA

Bob XL




Swivel chair

Because everyone finds comfort in different places, the Bob family adapts to every moment, every life, person and space available... The new Bob XL swivel, comfort and design in one chair. Available in black and silk frame, and fully upholstered seat.

DESIGNED BY NADIA ARRATIBEL



ondarreta



DIMENSIONS

68 cm x 68 cm x 76 cm x 46 cm
(20.4" x 21.3" x 30.7" x 17.7")
[width x depth x height x seat
height]

WEIGHT

6,3 kg (13,9 lb)

PACKAGING

Two chairs per box, box
dimensions: 71 cm x 66 cm x 99
cm (27,9" x 26" x 39")

ACCESORIES

Felt glides

ORIGIN

100% Made in Europe

DESIGN

Nadia Arratibel



COMPONENTS

FRAME

Material

Cast aluminum base of varying thickness.

Finish

Silk or black epoxy

SHELL

Beech

Beech plywood board shell, 10 mm (0.4") thick. It's made with nine especially treated sheets, glued, pressed and CNC machined.

Fabrics

8 mm (0.31") thick Beech plywood board shell. Medium density polyether stuffing foam.

Technical characteristics:

Urea-formol glue: low formaldehyde emission (E1 European Normative)

The wood has the PEFC certificate.

Finish

Stained, lacquered or fabric.



METAL FINISHES

EPOXYS

Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compounds free. Electrostatic application and oven cured at 200°C (392°F).

Technical characteristics:

Thickness (ISO 2360): between 60 and 90 µm.

Adherence (ISO 2409): Grade: 0 (maximum adherence)

WOOD FINISHES

STAIN

Pigmented enamel with a transparent stain coating. Reactive drying paints: excellent adherence between layers and better mechanical resistance.

LACQUER

Pigmented reactive drying lacquers.

Technical characteristics:

Satisfying UNE-EN 71-3 normative: Formaldehyde free compounds.

COM REQUIREMENTS

Full fabric: 90 cm (35,4")

